

Ricmotech TMRSM Shift Feel Installation Guide






Items Needed:

1. Thrustmaster TH8RS or TH8A Shifter
2. Contents of TMRSM Kit
 - a. Detent Block
 - b. Spring Clamp
 - c. Cable clip
3. Phillips Screwdrivers (#1 and #2)
4. 2.5mm Hex Key
5. Small Diagonal Cutters
6. Pliers




Installation:


	<p>Remove shifter knob and the 4 screws holding the gate plate using a 2.5mm hex key.</p>
	<p>Remove the 9 screws around the bottom perimeter. Note that there are 3 longer screws in the deeper pockets.</p>
	<p>Cut the zip tie holding the wire and unplug it from the electronics at the bottom.</p>




Remove the 2 black screws at the top. The shifter will separate into three part.




Back out these screws about 2 turns. There is no need to remove them completely.



Dab some grease from inside the shifter on the inside flats of the shifter housing and on the shifter stick as indicated.



Slide the detent block down over the stick as shown and the using pliers squeeze the clip to open it and slide it down on the stick up to the detent block as shown.



Tighten down the screws that were loosened earlier and then check the shifter for smooth operation.

Reassemble the shifter back into its housing by following the reverse of disassembly.

Need Help?

If you run into any problems during the installation of the mod please contact us directly at tech support at (305) 417-9241 or via email at support@ricmotech.com.

Due to constant improvements to our products, the product you receive may vary slightly from the product shown in the illustrations.

Copyright 2018, Ricmotech LLC. Thrustmaster®, TH8RS and TH8A are trademarks of the Guillemot® corporation and the terms are used for reference purposes only. Ricmotech and the RMT-TMRSM kit is not affiliated with Thrustmaster®.